



MATERIAL SAFETY DATA SHEET

1. COMPANY AND PRODUCT IDENTIFICATION

DUNCAN ENTERPRISES
5673 East Shields Avenue
Fresno, CA 93727
559-291-4444
559-291-9444 (Fax)

EMERGENCY TELEPHONE NUMBERS

Health Emergency: 559-291-4444 7:00 am – 3:30 pm
Pacific Standard Time
Spill and Off-Hour
Health Emergencies: 800-424-9300 U.S. and Canada
703-527-3887 Outside U.S. and
Canada (Collect)

Product Name: DUNCAN PURE BRILLIANCE CLEAR GLAZE & CLEAR DIPPING GLAZE
Product Type: Nontoxic Clear Ceramic Glazes

2. COMPOSITION / INFORMATION ON INGREDIENTS

The ingredients in this formulation are a trade secret. All ingredients in the formula are non-hazardous, unless specified in Sections 3 and 15.

3. HAZARDS IDENTIFICATION

HMIS Hazard Ratings for Product

| | | |
|----------------------|---------------|---------------------|
| Health: | 1 | 0 = Minimal |
| Flammability: | 0 | 1 = Slight |
| Reactivity: | 0 | 2 = Moderate |
| Personal Protection: | See Section 8 | 3 = Serious |
| | | 4 = Severe |
| | | * = Chronic Effects |

4. FIRST AID MEASURES

Eye Contact: Flush eyes with large amounts of water until irritation subsides. Consult a physician if irritation persists.
Skin Contact: Wash affected skin areas thoroughly with soap and water. Consult a physician if irritation persists.
Inhalation: Move subject to fresh air.
Ingestion: If swallowed, give two glasses of water to drink. Consult a physician. Never give anything by mouth to an unconscious person.

5. FIRE FIGHTING MEASURES

| | |
|---|--|
| Autoignition Temperature: | Nonflammable |
| Flash Point: | Not Applicable |
| Upper Explosive Limit (%): | Not Applicable |
| Lower Explosive Limit (%): | Not Applicable |
| Extinguisher Media: | Product is nonflammable – Use extinguishing media appropriate for surrounding fire |
| Special Firefighting Procedures: | Not Applicable |
| Fire & Explosion Hazards: | Not Applicable |
| NFPA Flammability Hazard Class: | 0 = Insignificant |

Duncan Enterprises Material Safety Data Sheet – Pure Brilliance Clear Glaze & Clear Dipping Glaze

6. ACCIDENTAL RELEASE MEASURES

Spill or Leak Procedures: Spills should be taken up with suitable absorbent material and placed in containers. Spill areas can be washed with water; collect wash water for approved disposal. Do not flush to storm sewer or waterway.

For safety and environmental precautions, please review entire Material Safety Data Sheet for necessary information.

7. HANDLING AND STORAGE

Storage Temperature: 40° - 100°F
Handling / Storage: Protect from freezing; keep container sealed when not in use
Ventilation Requirements: General

8. EXPOSURE CONTROL AND PERSONAL PROTECTION

Conditions Under Which Personal Protective Equipment Required

Eye Protection Requirements: Wear safety glasses with side shields
Glove Requirements: Gloves are not normally required for foreseeable conditions of use
Clothing Requirements: Protective clothing is normally not necessary for foreseeable conditions of use
Change / Removal of Clothing: None required
Wash Requirements: Good hygiene practices should be followed
Respirator Requirements: NIOSH approved respirator for sprays and mists recommended if using a sprayer
Ventilation Requirements: General; local exhaust ventilation recommended when spraying

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance / Physical Description: Colored liquid. Odorless
pH: 7 - 10
Boiling Point: 212°F
Freezing Point: 32°F
Melting Point: 1800°F
Solubility in Water: Miscible
Specific Gravity (Water = 1): 1.3 – 1.5
Bulk Density: 10.8 – 12.50 lb / gal
Evaporation Rate (Water = 1): 1
Vapor Pressure: 17.5 mm Hg @ 20°C (68°F)
Autoignition Temperature: Not Applicable
Flash Point: Not Applicable
Oxidizing Properties: Not Applicable

Duncan Enterprises Material Safety Data Sheet – Pure Brilliance Clear Glaze & Clear Dipping Glaze

10. STABILITY AND REACTIVITY

Stability: Stable
Incompatible Materials: None known
NFPA Reactivity Hazard Class: 0 = Insignificant
Hazardous Decomposition Products: Avoid fumes when firing
Hazardous Polymerization: Will not occur
Conditions to Avoid: None Known

11. TOXICOLOGICAL INFORMATION

Short – Term Effects of Exposure

Routes of Entry: **Inhalation:** No **Skin Contact:** No **Ingestion:** Yes

Acute Effects – Eye: Abrasive, can scratch eyes
Acute Effects – Skin Contact: No hazard in normal industrial use.*
Acute Effects – Inhalation: No hazard in normal industrial use.
Acute Effects – Ingestion: No hazard in normal industrial use.

* Intentional skin contact with this product for the purpose of creating hand or foot imprints poses no known health risks.

Long – Term Effects of Exposure

Effect of Chronic Exposure: This product should be considered non – hazardous and has no known chronic effects.

Target Organs: Not applicable
Carcinogenicity: **IARC Monographs:** No **NTP:** No **OSHA Regulated:** No

12. ECOLOGICAL INFORMATION

No Applicable Data

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods: Waste disposal should be in accordance with existing Federal, State, and Local environmental regulations.

14. TRANSPORT INFORMATION

U.S. Department of Transportation Information

DOT Shipping Name: Glazes or Stains, Ceramic or Pottery, Artists or Hobbyists Liquid
DOT Hazard Class: 88690 Sub. 1
DOT Reportable Quantity: None

Duncan Enterprises Material Safety Data Sheet – Pure Brilliance Clear Glaze & Clear Dipping Glaze

15. REGULATORY INFORMATION

TSCA: All components are on the TSCA Inventory
FDA: 21CFR175.105
SARA/Title III: This product contains no substances at or above the reported threshold under Section 313, based on available data.



Products bearing the Nontoxic Product Seal are certified in a program of toxicological evaluation by a nationally recognized toxicologist to contain no materials in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems. These products are certified to be labeled in accordance with the voluntary chronic hazard labeling standard ASTM D-4236. In addition, there is no physical hazard as defined within 29 CFR Part 1910.1200(c).

16. OTHER INFORMATION

Table of Abbreviations

| | |
|----------------|--|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| ANSI | American National Standards Institute |
| ASTM | American Society for Testing Materials |
| °C | Degrees Centigrade |
| CAS | Chemical Abstract Service |
| CERCLA | Comprehensive Environmental Response, Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| CPR | Controlled Products Regulations |
| DOT | Department of Transportation |
| EPA | Environmental Protection Agency |
| °F | Degrees Fahrenheit |
| FDA | Food & Drug Administration |
| Hg | Mercury |
| HMIS | Hazardous Materials Identification System |
| IARC | International Agency for Research on Cancer |
| LD | Lethal Dose |
| mg / kg | Milligram per kilogram |
| mm | Millimeter |
| MSDS | Material Safety Data Sheet |
| MSHA | Mine Safety and Health Administration |
| N / A | Not Applicable |
| NFPA | National Fire Protection Association |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| ppm | Parts per million |
| SARA | Superfund Amendment and Reauthorization Act |

Duncan Enterprises Material Safety Data Sheet – Pure Brilliance Clear Glaze & Clear Dipping Glaze

16. OTHER INFORMATION (Continued)

Table of Abbreviations (Continued)

| | |
|--------------|--|
| STEL | Short-Term Exposure Limit |
| TSCA | Toxic Substances Control Act |
| TWA | Time - Weighted Average |
| U.N. | United Nations |
| WHMIS | Workplace Hazardous Materials Information System |
| > | Greater Than |
| < | Less Than |

Creation Date: 08/28/08
Revision Date: N/A
Technical Contact: Frank Peters
Senior R&D Chemist
Duncan Enterprises
5673 East Shields Avenue
Fresno, CA 93727
559-291-4444
559-291-9444 (Fax)

Disclaimer

The information given and the recommendations made herein apply to our product(s) alone and not combined with any other product(s). Such are based on our research and on data from other reliable sources and are believed to be accurate. No guarantee of accuracy is made. It is the purchaser's responsibility before using any product to verify this data under their own operating conditions and to determine whether the product is suitable for their purposes.