

Safety Data Sheet

According to Annex II to REACH - Regulation 2015/830

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: from BLS 900 to BLS 962
 Product name: BLS 900 series - Bellissimo Glaze

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Ceramic decoration

1.3. Details of the supplier of the safety data sheet

Name: COLOROBBLIA ITALIA S.P.A.
 Full address: via Pietramarina 53
 District and Country: 50053 Sovigliana - Vinci (FI)
 Italia
 Tel. +39 0571 7091
 Fax +39 0571 709.850

e-mail address of the competent person responsible for the Safety Data Sheet: ambientemsds@colorobbia.it

1.4. Emergency telephone number

For urgent inquiries refer to:
 CAV - Ospedale Pediatrico Bambino Gesù - Roma - tel. +39 06 68593726
 Az. Ospedaliera Università Foggia - Foggia - tel. 800183459
 Az. Ospedaliera - A. Cardarelli- Napoli- tel. +39 081 7472870
 CAV - Policlinico Umberto I- Roma - tel. +39 06 49978000
 CAV - Policlinico A. Gemelli - Roma - tel. +39 06 3054343
 Az. Ospedaliera Careggi - U.O. Tossicologia Medica - Firenze - tel. +39 055 7947819
 CAV - Centro Nazionale di Informazione Tossicologica - Pavia - tel. +39 0382 24444
 Ospedale Niguarda Ca' Granda - Milano - tel. +39 02 66101029
 Az. ospedaliera Papa Giovanni XXIII - Bergamo - tel. 800883300

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP). However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information, compliant to (EU) Regulation 2015/830.

Hazard classification and indication: --

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms: --

Signal words: --

Hazard statements:
EUH210 Safety data sheet available on request.
EUH208 Contains: butilcarbammato di 3-iodo-2-propinile
 May produce an allergic reaction.

Precautionary statements: --

SECTION 2. Hazards identification ... / >>

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification **x = Conc. %** **Classification 1272/2008 (CLP)**

Frit group 2

CAS 65997-18-4 9 ≤ x < 25
 EC 266-047-6
 INDEX

Frit group 1

CAS 65997-18-4 9 ≤ x < 25
 EC 266-047-6
 INDEX

Frit group 3

CAS 65997-18-4 9 ≤ x < 25
 EC 266-047-6
 INDEX

Zirconium Silicate

CAS 14940-68-2 1 ≤ x < 5
 EC 239-019-6
 INDEX

QUARTZ

CAS 14808-60-7 1 ≤ x < 5
 EC 238-878-4
 INDEX

KAOLIN

CAS 1332-58-7 1 ≤ x < 5
 EC 310-194-1
 INDEX

butilcarbammato di 3-iodo-2-propinile

CAS 55406-53-6 0 ≤ x < 0,1

 EC 259-627-5
 INDEX
 Reg. no. 01-2120762115-60-xxxx

Acute Tox. 3 H331, Acute Tox. 4 H302, STOT RE 1 H372, Eye Dam. 1 H318, Skin Sens. 1A H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

Not specifically necessary. Observance of good industrial hygiene is recommended.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

in the event of an accident or if you feel unwell, contact a beggar or a poison center

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT
 Choose the most appropriate extinguishing equipment for the specific case.
 UNSUITABLE EXTINGUISHING EQUIPMENT
 None in particular.

SECTION 5. Firefighting measures ... / >>

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE
 The product is neither flammable nor combustible.

5.3. Advice for firefighters

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS
 Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use breathing equipment if fumes or powders are released into the air. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Confine using earth or inert material. Collect as much material as possible and eliminate the rest using jets of water. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use.

7.2. Conditions for safe storage, including any incompatibilities

Keep the product in clearly labelled containers. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

CZE	Česká Republika	Nařízení vlády č. 246/2018 Sb. Nařízení vlády, kterým se mění nařízení vlády č. 361/2007 Sb., kterým se stanoví podmínky ochrany zdraví při práci, ve znění pozdějších předpisů
DEU	Deutschland	TRGS 900 (Fassung 07.06.2018) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte
ESP	España	LÍMITES DE EXPOSICIÓN PROFESIONAL PARA AGENTES QUÍMICOS EN ESPAÑA 2008 NIPO: 211-08-011-5
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Third edition,published 2018)
NLD	Nederland	Regeling van de Staatssecretaris van Sociale Zaken en Werkgelegenheid van 13 juli 2018, 2018-0000118517 tot wijziging van de Arbeidsomstandighedenregeling in verband met de implementatie van Richtlijn 2017/164 in Bijlage XIII
POL	Polska	ROZPORZĄDZENIE MINISTRA RODZINY, PRACY I POLITYKI SPOŁECZNEJ z dnia 12 czerwca 2018 r
	TLV-ACGIH	ACGIH 2019

SECTION 8. Exposure controls/personal protection ... / >>

Frit group 2

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min	
		mg/m3	ppm	mg/m3	ppm
TLV-ACGIH		10			

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Inhalation								0,004 mg/m3

Frit group 1

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min	
		mg/m3	ppm	mg/m3	ppm
TLV-ACGIH		10			

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Inhalation								0,004 mg/m3

Frit group 3

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min	
		mg/m3	ppm	mg/m3	ppm
TLV-ACGIH		10			

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Inhalation								0,004 mg/m3

Zirconium Silicate

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min	
		mg/m3	ppm	mg/m3	ppm
NDS/NDSch	POL	5		10	
TLV-ACGIH		5		10	

QUARTZ

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min	
		mg/m3	ppm	mg/m3	ppm
TLV	CZE	0,1			
AGW	DEU	0,15			
VLA	ESP	0,05			
VLEP	FRA	0,1			RESP
WEL	GBR	0,3			
NDS/NDSch	POL	2			INHAL
NDS/NDSch	POL	0,3			RESP
TLV-ACGIH		0,025			

SECTION 8. Exposure controls/personal protection ... / >>

KAOLIN

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		
		mg/m3	ppm	mg/m3	ppm	
VLA	ESP	2				RESP
WEL	GBR	2				RESP
TGG	NLD	10				
NDS/NDSch	POL	10				INHAL
TLV-ACGIH		2				

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.
 VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

Zirconium Silicate
 ATTIVITA' SPECIFICA IN Bq/g
 U 238 = 4,3 max
 Th 232 = 1 max
 U 238 + Th 232 = 5,0 max.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.
 Personal protective equipment must be CE marked, showing that it complies with applicable standards.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	suspension	
Colour	Not available	
Odour	odourless	
Odour threshold	Not available	
pH	Not available	
Melting point / freezing point	0 °C	
Initial boiling point	Not available	
Boiling range	Not available	
Flash point	Not applicable	
Evaporation Rate	Not available	
Flammability of solids and gases	Not available	
Lower inflammability limit	Not applicable	

SECTION 9. Physical and chemical properties ... / >>

Upper inflammability limit	Not applicable
Lower explosive limit	Not applicable
Upper explosive limit	Not applicable
Vapour pressure	Not available
Vapour density	Not available
Relative density	Not available
Solubility	insoluble solute
Partition coefficient: n-octanol/water	Not available
Auto-ignition temperature	Not applicable
Decomposition temperature	Not available
Viscosity	Not available
Explosive properties	Not available
Oxidising properties	Not available

9.2. Other information

VOC (Directive 2010/75/EC) :	0,09 %
VOC (volatile carbon) :	0,06 %

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

Information not available

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

QUARTZ

Information relating to free silicon monoxide:

- once inhaled into the lungs, free crystalline silica dust can cause silicosis. More frequently, there is a development of phenomena mainly characterised by an obstructive component.

QUARTZ

Information relating to free silicon monoxide:

- once inhaled into the lungs, free crystalline silica dust can cause silicosis. More frequently, there is a development of phenomena mainly characterised by an obstructive component.

11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

SECTION 11. Toxicological information ... / >>

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

LC50 (Inhalation) of the mixture:	Not classified (no significant component)
LD50 (Oral) of the mixture:	Not classified (no significant component)
LD50 (Dermal) of the mixture:	Not classified (no significant component)

butylcarbammato di 3-iodo-2-propinile	
LD50 (Oral)	> 300 mg/kg Ratto
LD50 (Dermal)	> 2000 mg/kg Ratto
LC50 (Inhalation)	> 0,67 mg/l/4h Ratto

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.
 Contains:
 butylcarbammato di 3-iodo-2-propinile

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

SECTION 12. Ecological information

No specific data are available for this product. Handle it according to good working practices. Avoid littering. Do not contaminate soil and waterways. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation. Please take all the proper measures to reduce harmful effects on aquifers.

12.1. Toxicity

Information not available

SECTION 12. Ecological information ... / >>

12.2. Persistence and degradability

Information not available

12.3. Bioaccumulative potential

Information not available

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.
 Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.
CONTAMINATED PACKAGING
 Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006
None

Substances in Candidate List (Art. 59 REACH)
 On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.

Substances subject to authorisation (Annex XIV REACH)
None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:
None

Substances subject to the Rotterdam Convention:
None

Substances subject to the Stockholm Convention:
None

Healthcare controls
Information not available

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
STOT RE 1	Specific target organ toxicity - repeated exposure, category 1
Eye Dam. 1	Serious eye damage, category 1
Skin Sens. 1A	Skin sensitization, category 1A
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
H331	Toxic if inhaled.
H302	Harmful if swallowed.
H372	Causes damage to organs through prolonged or repeated exposure.
H318	Causes serious eye damage.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH210	Safety data sheet available on request.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%

SECTION 16. Other information ... / >>

- LD50: Lethal dose 50%- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
4. Regulation (EU) 2015/830 of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2018/1480 (XIII Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Frits belonging to various groups:

Group 1: Ceramic frits containing general elements that are not included in Annex I of Directive 67/548/EEC and Annex VI of 1272/2008 Regulation,

without Pb, Ba, Zn and Cd.

Group 2: Ceramic frits containing general elements that are not included in Annex I of Directive 67/548/EEC and Annex VI of 1272/2008 Regulation, with Zn and without Pb, Ba or Cd.

Group 3: Ceramic frits containing general elements that are not included in Annex I of Directive 67/548/EEC and Annex VI of 1272/2008 Regulation, with Ba and without Pb, Zn or Cd.

Group 4: Ceramic frits containing general elements that are not included in Annex I of Directive 67/548/EEC and Annex VI of 1272/2008 Regulation, with Zn and Ba and without Pb or Cd.

Group 5: Ceramic frits containing general elements that are not included in Annex I of Directive 67/548/EEC and Annex VI of 1272/2008 Regulation, with Pb and without Cd.

Group 5.1 Lead Bisilicates (0% < PbO ≤69%; SiO₂ ≥30%; Al₂O₃ ≥1%).

Group 5.2 Lead Borosilicates (0-69% PbO, SiO₂ ≥30%, Al₂O₃ ≥ 0,5%, B₂O₃>0%)

Group 6: Ceramic frits containing general elements that are not included in Annex I of Directive 67/548/EEC and Annex VI of 1272/2008 Regulation, with Pb and Zn and/or Ba (0 < PbO ≤69; SiO₂ ≥30; Al₂O₃ ≥1)

Group 7: Ceramic frits containing general elements that are not included in Annex I of Directive 67/548/EEC and with Cd and some of the

SECTION 16. Other information ... / >>

elements Zn, Ba, and Pb ($0 < \text{PbO} < 69$; $0 < \text{CdO} \leq 5$; $\text{SiO}_2 \geq 30$; $\text{Al}_2\text{O}_3 \geq 1$) Group 8 – frits containing lead expressed in % PbO and/or Cd expressed in % CdO, containing general elements that are not included in annex 1 of Directive 67/548/EEC and Annex VI of 1272/2008 Regulation (Zr, Si, Al, Mg, Ca, K, Na, etc.), that are not included in the other groups definition.

8.1 : lead monosilicates frits ($0,05\% < \text{PbO} < 80\%$; $\text{SiO}_2 < 30\%$; $\text{Al}_2\text{O}_3 < 1\%$)

8.2 : lead borosilicates frits ($0,05\% < \text{PbO} < 80\%$; $\text{SiO}_2 < 30\%$; $\text{Al}_2\text{O}_3 < 0,5\%$; $\text{B}_2\text{O}_3 > 0\%$)

8.3 : lead and cadmium frits ($0,05\% < \text{PbO} < 80\%$; $0\% < \text{Cd} < 5\%$; $\text{SiO}_2 < 30\%$ o $0,05\% \text{ PbO} < 80\%$; $5\% < \text{CdO} < 24\%$)

Group 9 – coloured frits generally containing elements which are not listed in annex 1 of Directive 67/548/EEC and Annex VI of 1272/2008 Regulation (Zr, Si, Al, Mg, Ca, K, Na, etc.), and same metallic oxides listed in annex 1 of Directive 67/548/EEC and Annex VI of 1272/2008 Regulation :

9.1 : frits Ni ($0\% < \text{NiO} \leq 3,8\%$)

9.2 : frits Ni ($3,8\% < \text{NiO} \leq 15\%$)

9.3 : frits V ($0\% < \text{V}_2\text{O}_5 < 15,5\%$)

9.4 : frits Cd ($5\% < \text{CdO} < 28\%$)

Group 10 and subgroups - frits that contain B, Se, Sb and Co.

10.0 : $\text{SiO}_2 \geq 30\%$; $\text{Al}_2\text{O}_3 \geq 0,5$; $0\% < \text{B}_2\text{O}_3 \leq 34$;

10.1 : $\text{SiO}_2 \geq 30\%$; $\text{Al}_2\text{O}_3 \geq 1\%$; $\text{B}_2\text{O}_3 = 0$; $0 < \text{Se} \leq 1,5\%$; o $\text{SiO}_2 \geq 30$; $\text{Al}_2\text{O}_3 \geq 0,5$; $0 < \text{B}_2\text{O}_3 \leq 34\%$; $0 < \text{Se} \leq 1,5\%$

10.2 : $\text{SiO}_2 \geq 30\%$; $\text{Al}_2\text{O}_3 \geq 1$; $\text{B}_2\text{O}_3 = 0$; $0 < \text{Sb}_2\text{O}_3 \leq 2$; o $\text{SiO}_2 \geq 30\%$; $\text{Al}_2\text{O}_3 \geq 0,5$; $0 < \text{B}_2\text{O}_3 \leq 34$; $0 < \text{Sb}_2\text{O}_3 \leq 2$;

10.3 : $\text{SiO}_2 \geq 30\%$; $\text{Al}_2\text{O}_3 \geq 1$; $\text{B}_2\text{O}_3 = 0$; $0 < \text{Co}_3\text{O}_4 \leq 2$ o $\text{SiO}_2 \geq 30\%$; $\text{Al}_2\text{O}_3 \geq 0,5$; $0 < \text{B}_2\text{O}_3 \leq 34$; $0 < \text{Co}_3\text{O}_4 \leq 2$;

Changes to previous review:

The following sections were modified:

01 / 02 / 03 / 04 / 06 / 08 / 09 / 11 / 12 / 15 / 16.